

CERTIFICATE

TÜV NORD CERT GmbH
herewith declares that

Leapton Solar (Changshu) Co., Ltd.
No.55 Sunshine Avenue, Yushan High-tech Industrial Park
Changshu City, Jiangsu Province, 215500
P.R. China

is authorized to provide the product mentioned below with the mark as illustrated:




Description of product (details see Annex 2):

PV Modules with 6" Half Cut Mono-crystalline Silicon Solar Cells

PV Modules with 6" Half Cut Poly-crystalline Silicon Solar Cells

Valid until: 2025-01-02

Tested according to: IEC 61701:2011 / EN 61701:2012 Severity 5.
Registered No.: 44 780 20 406749 - 007
Manufacturer: see Annex 1
Test Report No.: 492011341.001
File No.: SHV09036/19-03

A handwritten signature in blue ink, appearing to read "R. J. ...".

TÜV NORD CERT GmbH
Certification Body
Consumer Products

Essen, 2020-01-03

Please also pay attention to the information stated overleaf.

Anlage 1 zum Zertifikat Nr.: / Annex 1 to Certificate No.: **44 780 20 406749 - 007**

Aktenzeichen: / File reference: **SHV09036/19-03**

Seite / Page **1 von / of 1**

2020-01-03

Manufacturer:

Manufacturer:

Leapton Solar (Changshu) Co., Ltd.

No.55 Sunshine Avenue, Yushan High-tech Industrial Park,
Changshu City, Jiangsu Province, 215500, P.R. China

Factory inspection report no.:

862010379.002

Remark:

Factory inspection is mandatory to be performed annually. Please refer to factory inspection report for detailed information.

A handwritten signature in blue ink, appearing to read "Rogers K1", is written over the printed name of the certification body.

TÜV NORD CERT GmbH
Certification Body
Consumer Products

Description of product(s):

Module types:

PV Modules with 6" Half Cut Mono-crystalline Silicon Solar Cells:

144 cells: LP158*158-M-72-H-***W (** = 365-400, in increment of 5)

120 cells: LP158*158-M-60-H-***W (** = 305-330, in increment of 5)

Maximum system voltage:

1500V

Fuse rating:

15A

Application class:

Class A

Electrical protection class:

Class II

Module types:

PV Modules with 6" Half Cut Poly-crystalline Silicon Solar Cells:

144 cells: LP156*156-P-72-H-***W (** = 335-370, in increment of 5)

120 cells: LP156*156-P-60-H-***W (** = 280-305, in increment of 5)

Maximum system voltage:

1500V

Fuse rating:

15A

Application class:

Class A

Electrical protection class:

Class II

Remark:

For detailed product information, please refer to CDF (Constructional Data Form) in Annex 1 of test report.



TÜV NORD CERT GmbH
Certification Body
Consumer Products